

L Number	Hits	Search Text	DB	Time stamp
1	4033	over-voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 08:58
8	9246	over adj voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 08:59
15	19289	overvoltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:00
22	21996	overcurrent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:00
29	3236	over-current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:00
36	12227	over adj current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:00
43	925	over-voltage and ( over adj voltage) and overvoltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 13:35
50	27713	1or ( over adj voltage) or overvoltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 13:36
57	32754	overcurrent or over-current or ( over adj current)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 11:12
64	4714	( overcurrent or over-current or ( over adj current)) and sensing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:06

71	3724	(1or ( over adj voltage) or overvoltage) and sensing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:55
78	8071	(1or ( over adj voltage) or overvoltage) and sens\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:07
85	10438	( overcurrent or over-current or ( over adj current)) and sens\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 11:15
92	6739	(phone\$2 or telephone\$2) near4 subscriber\$3 near4 line\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:15
99	259792	(subscriber\$5 near5 line\$3 near5 interface\$3 near5 circuit\$3) or ( interface\$3 near3 circuit\$3) or (subscriber\$3 near3 line\$3) or (circuit\$3 near3 line\$3) or (interface\$3 near3 line\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 11:07
106	28988	current\$3 near4 threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:27
113	29570	current\$3 near4 threshold\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:29
120	2692667	(predetermin\$3 near3 time\$3) or delay\$3 or hold\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:40
127	30586	((predetermin\$3 near3 time\$3) or delay\$3 or hold\$3) and (phone\$ or telephones\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:42
134	17860	(batter\$3 or (power\$3 near3 supply)) and (phone\$ or telephones\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:45

141	26944	over-voltage or ( over adj voltage) or overvoltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 09:48
155	6830	( over-voltage or ( over adj voltage) or overvoltage) and sens\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 10:02
162	6234	((subscriber\$5 near5 line\$3 near5 interface\$3 near5 circuit\$3) or ( interface\$3 near3 circuit\$3) or (subscriber\$3 near3 line\$3) or (circuit\$3 near3 line\$3) or (interface\$3 near3 line\$3) ) with protect\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 10:07
169	1623	((subscriber\$5 near5 line\$3 near5 interface\$3 near5 circuit\$3) or ( interface\$3 near3 circuit\$3) or (subscriber\$3 near3 line\$3) or (circuit\$3 near3 line\$3) or (interface\$3 near3 line\$3) ) with protect\$4 and (phone\$3 or telephone\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 10:09
197	20	(((((subscriber\$5 near5 line\$3 near5 interface\$3 near5 circuit\$3) or ( interface\$3 near3 circuit\$3) or (subscriber\$3 near3 line\$3) or (circuit\$3 near3 line\$3) or (interface\$3 near3 line\$3) ) with protect\$4) and (phone\$3 or telephone\$3)) and (( overcurrent or over-current or ( over adj current) and sens\$5)) and ((batter\$3 or (power\$3 near3 supply)) and (phone\$ or telephones\$3))) and (((predetermin\$3 near3 time\$3) or delay\$3 or hold\$3) and (phone\$ or telephones\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 10:14
190	29	(((((subscriber\$5 near5 line\$3 near5 interface\$3 near5 circuit\$3) or ( interface\$3 near3 circuit\$3) or (subscriber\$3 near3 line\$3) or (circuit\$3 near3 line\$3) or (interface\$3 near3 line\$3) ) with protect\$4) and (phone\$3 or telephone\$3)) and (( overcurrent or over-current or ( over adj current) and sens\$5)) and ((batter\$3 or (power\$3 near3 supply)) and (phone\$ or telephones\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 10:22
183 <i>318</i>	114	((((subscriber\$5 near5 line\$3 near5 interface\$3 near5 circuit\$3) or ( interface\$3 near3 circuit\$3) or (subscriber\$3 near3 line\$3) or (circuit\$3 near3 line\$3) or (interface\$3 near3 line\$3) ) with protect\$4) and (phone\$3 or telephone\$3)) and (( overcurrent or over-current or ( over adj current) and sens\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 11:03

211	26938	(( overcurrent or over-current or ( over adj current)) and current\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 11:13
218	9952	(( overcurrent or over-current or ( over adj current)) and current\$2) and sens\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 11:18
225	239	(( overcurrent or over-current or ( over adj current)) and current\$2) and sens\$5) and ((batter\$3 or (power\$3 near3 supply)) and (phone\$ or telephones\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 11:20
232	228	(( overcurrent or over-current or ( over adj current)) and current\$2) and sens\$5) and ((batter\$3 or (power\$3 near3 supply)) and (phone\$ or telephones\$3)) and control\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 11:25
239	180	(( overcurrent or over-current or ( over adj current)) and current\$2) and sens\$5) and ((batter\$3 or (power\$3 near3 supply)) and (phone\$ or telephones\$3)) and control\$4) and protect\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 12:39
246	108	(( overcurrent or over-current or ( over adj current)) and current\$2) and sens\$5) and ((batter\$3 or (power\$3 near3 supply)) and (phone\$ or telephones\$3)) and control\$4) and protect\$5) and ((subscriber\$5 near5 line\$3 near5 interface\$3 near5 circuit\$3) or ( interface\$3 near3 circuit\$3) or (subscriber\$3 near3 line\$3) or (circuit\$3 near3 line\$3) or (interface\$3 near3 line\$3) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 12:41
253	16	(( overcurrent or over-current or ( over adj current)) and current\$2) and sens\$5) and ((batter\$3 or (power\$3 near3 supply)) and (phone\$ or telephones\$3)) and control\$4) and protect\$5) and ((subscriber\$5 near5 line\$3 near5 interface\$3 near5 circuit\$3) or ( interface\$3 near3 circuit\$3) or (subscriber\$3 near3 line\$3) or (circuit\$3 near3 line\$3) or (interface\$3 near3 line\$3) ) and (current\$3 near4 threshold\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 13:34
260	925	over-voltage and ( over adj voltage) and overvoltage and voltage\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 13:35

267	21696	(1or ( over adj voltage) or overvoltage) and voltage\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 13:37
274	21633	( over-voltage or ( over adj voltage) or overvoltage) and voltage\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 13:41
281	74	((((subscriber\$5 near5 line\$3 near5 interface\$3 near5 circuit\$3) or ( interface\$3 near3 circuit\$3) or (subscriber\$3 near3 line\$3) or (circuit\$3 near3 line\$3) or (interface\$3 near3 line\$3) ) with protect\$4) and (phone\$3 or telephone\$3)) and (( overcurrent or over-current or ( over adj current)) and sens\$5)) and (( over-voltage or ( over adj voltage) or overvoltage) and voltage\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/12/21 13:41